



## VWR™ Galaxy Centrifuges

**A value  
conscious  
centrifuge  
line**



*Clockwise from upper left: 37001-300, 15120-000, 37000-700, 37001-594*

# Galaxy

## VWR™ Galaxy Mini Microcentrifuge

- Supplied with rotors for microtubes and PCR strips
  - Ideal for quick spindowns and microfiltrations
- Start and stop in seconds
- Small footprint, compact design

The Galaxy Mini Microcentrifuge is the smallest centrifuge in the Galaxy line. Ideal for personal use, the unit features a compact design and requires minimal bench space. The Galaxy Mini is suitable for use on the bench or in a cold room.

Each Galaxy Mini is supplied with two rotors. The standard rotor holds six 1.5/2.0 mL tubes. Adapters supplied with the unit allow spinning of smaller tubes as well. The strip rotor accepts two 8 x 0.2 mL strip tubes, or sixteen individual 0.2 mL tubes. The maximum speed of the Galaxy Mini is 6,000rpm. The resulting g-force is perfect for microfiltration and spindowns from the caps and walls of microcentrifuge tubes.

Operation of the centrifuge is simple. Upon closing the lid, the rotor quickly accelerates to maximum speed. Pressing the lid button stops operation. Alternatively, the unit can be turned on and off with the switch on the back.



### Specifications

|                       |                                                                                                     |
|-----------------------|-----------------------------------------------------------------------------------------------------|
| Maximum speed         | 6,000 rpm                                                                                           |
| Maximum RCF           | Microtube rotor - 2,000 x g<br>Strip tube rotor - 1,177 x g                                         |
| Maximum capacity      | Microtube rotor - 6 x 1.5/2.0 mL tubes<br>Strip tube rotor - 2 x 2.0 mL strips or 16 x 0.2 mL tubes |
| Dimensions, W x D x H | 5 x 6 x 4.75 in. (17.2 x 15.2 x 12.1 cm)                                                            |
| Weight                | 1 lb (0.45 kg)                                                                                      |
| Electrical            | 120V or 230V, 50/60 Hz                                                                              |

### Ordering Information

#### Description

|                                                                                     |
|-------------------------------------------------------------------------------------|
| Galaxy Mini Microcentrifuge with microtube and strip tube rotors and adapters, 120V |
| Galaxy Mini Microcentrifuge with microtube and strip tube rotors and adapters, 230V |

#### Cat No.

|           |
|-----------|
| 37000-700 |
| 37000-930 |

#### List Price

|          |
|----------|
| \$345.00 |
| 360.00   |

## VWR™ Galaxy D Digital Microcentrifuges

- Five variable speed models
- All operating parameters set and displayed digitally
- Exceptionally small footprint
- Quiet and cool running
- Cold room compatible

The VWR Galaxy D line of microcentrifuges delivers optimum performance in a compact unit. Five variable speed models are available to accommodate a host of applications. Maximum speeds range from 8,500 rpm/5,200 x g, ideal for microfiltration and pelleting of small cell cultures, to 14,000 rpm/16,000 x g, suitable for working with proteins and DNA. All operating parameters, including rpm, RCF and time, are set and displayed digitally. Rotors accelerate quickly to set speed and employ dynamically controlled braking to come to a soft stop without disrupting samples. The larger units, 14D, 16D and 16DH, feature maintenance-free, brushless motors for faster acceleration and quieter, smoother operation.

Each centrifuge is supplied with a fixed angle microtube rotor that is easily removed for cleaning and autoclaving. The rotors accept 1.5/2.0 mL tubes directly and smaller tubes with adapters (sold separately).

Galaxy centrifuges are quiet and cool running. For applications requiring temperatures below ambient, the centrifuges may be used in a cold room.



37001-294 and 37001-300

### Specifications

|                    | Galaxy 5D                                 | Galaxy 7D                                | Galaxy 14D                                   | Galaxy 16D                                   | Galaxy 16DH                                  |
|--------------------|-------------------------------------------|------------------------------------------|----------------------------------------------|----------------------------------------------|----------------------------------------------|
| Maximum speed      | 8,500 rpm                                 | 10,000 rpm                               | 13,000 rpm                                   | 14,000 rpm                                   | 13,300 rpm                                   |
| Maximum RCF        | 5,200 x g                                 | 7,200 x g                                | 14,000 x g                                   | 16,000 x g                                   | 16,000 x g                                   |
| Capacity           | 12 x 1.5/2.0 mL                           | 12 x 1.5/2.0 mL                          | 18 x 1.5/2.0 mL                              | 18 x 1.5/2.0 mL                              | 24 x 1.5/2.0 mL                              |
| Timer              | 15 minutes                                | 99 minutes                               | 99 minutes                                   | 99 minutes                                   | 99 minutes                                   |
| Dimens., W x D x H | 7.75 x 7 x 5 in.<br>19.7 x 17.8 x 12.7 cm | 7.5 x 7 x 5 in.<br>19.7 x 17.8 x 12.7 cm | 10.5 x 9.38 x 7 in.<br>26.7 x 23.8 x 17.8 cm | 10.5 x 9.38 x 7 in.<br>26.7 x 23.8 x 17.8 cm | 10.5 x 9.38 x 7 in.<br>26.7 x 23.8 x 17.8 cm |
| Weight             | 3.25 lb (1.5 kg)                          | 3.25 lb (1.5 kg)                         | 11 lb/ (5 kg)                                | 11 lb (5 kg)                                 | 11.75 lb (5.3 kg)                            |
| Electrical         | 120V or 230V, 50/60 Hz                    | 120V or 230V, 50/60 Hz                   | 120V or 230V, 50/60 Hz                       | 120V or 230V, 50/60 Hz                       | 120V or 230V, 50/60 Hz                       |

### Ordering Information

#### Description

|                                                                    |  |
|--------------------------------------------------------------------|--|
| VWR Galaxy 5D digital microcentrifuge with 12 place rotor, 120V    |  |
| VWR Galaxy 5D digital microcentrifuge with 12 place rotor, 230V    |  |
| VWR Galaxy 7D digital microcentrifuge with 12 place rotor, 120V    |  |
| VWR Galaxy 7D digital microcentrifuge with 12 place rotor, 230V    |  |
| VWR Galaxy 14D digital microcentrifuge with 18 place rotor, 120V   |  |
| VWR Galaxy 14D digital microcentrifuge with 18 place rotor, 230V   |  |
| VWR Galaxy 16D digital microcentrifuge with 18 place rotor, 120V   |  |
| VWR Galaxy 16D digital microcentrifuge with 18 place rotor, 230V   |  |
| VWR Galaxy 16DH digital microcentrifuge, with 24 place rotor, 120V |  |
| VWR Galaxy 16DH digital microcentrifuge, with 24 place rotor, 230V |  |
| Adapters for 1.5 mL tubes, pack of 6                               |  |
| Adapters for 0.4 mL tubes, pack of 6                               |  |
| Adapters for 0.2 mL tubes, pack of 6                               |  |

#### Cat No.


| Cat No.   | List Price |
|-----------|------------|
| 37001-594 | \$712.00   |
| 89000-610 | 712.00     |
| 37001-294 | 915.00     |
| 89000-612 | 915.00     |
| 37001-296 | 1,370.00   |
| 89000-604 | 1,370.00   |
| 37001-298 | 1,850.00   |
| 89000-606 | 1,850.00   |
| 37001-300 | 1,950.00   |
| 89000-608 | 1,950.00   |
| 20668-224 | 37.50      |
| 20668-226 | 37.50      |
| 20668-228 | 37.50      |

## VWR™ Galaxy 7 and 16 Centrifuges

- Two speed ranges
- Analog control with easy turn knobs
- Quiet operation
- Cold room compatible

These two variable speed, analog microcentrifuges are quality units that will stand up to the rigors of continuous duty. Exceptionally quiet, and they require very little bench space.

The Galaxy 16 is supplied with an 18 place rotor and has a maximum speed of 14,000 rpm/16,000 x g, making it suitable for DNA and protein work. The motor is brushless for quick acceleration and smooth operation. With a maximum speed of 10,000 rpm/7,200 x g, the Galaxy 7 is perfect for quick spins and microfiltration. It is supplied with a 12 place rotor. Airflow patterns within the chambers of both units keep sample temperature rise to a minimum, even at maximum speed. For applications requiring subambient temperatures, these centrifuges may be used in a cold room.



15120-102

### Specifications

|                       | Galaxy7               | Galaxy16               |
|-----------------------|-----------------------|------------------------|
| Maximum speed         | 10,000 rpm            | 14,000 rpm             |
| Maximum RCF           | 7,200 x g             | 16,000 x g             |
| Capacity              | 12 x 1.5/2.0 mL       | 18 x 1.5/2.0 mL        |
| Timer                 | 30 minutes            | 30 minutes             |
| Dimensions, W x D x H | 8.25 x 9.5 x 7 in.    | 8.25 x 9.5 x 7 in.     |
|                       | 21 x 24 x 18 cm       | 21 x 24 x 18 cm        |
| Weight                | 9 lb (4 kg)           | 13 lb (6 kg)           |
| Electrical            | 120V or 230V 50/60 Hz | 120V or 230V, 50/60 Hz |

### Ordering Information

| Description                                | Cat No.   | List Price |
|--------------------------------------------|-----------|------------|
| VWR Galaxy 7 analog microcentrifuge, 120V  | 15120-100 | \$875.00   |
| VWR Galaxy 7 analog microcentrifuge, 230V  | 15120-106 | 875.00     |
| VWR Galaxy 16 analog microcentrifuge, 120V | 15120-102 | 1750.00    |
| VWR Galaxy 16 analog microcentrifuge, 230V | 15120-104 | 1750.00    |
| Adapters for 1.5 mL tubes, pack of 6       | 20668-224 | 37.50      |
| Adapters for 0.4 mL tubes, pack of 6       | 20668-226 | 37.50      |
| Adapters for 0.2 mL tubes, pack of 6       | 20668-228 | 37.50      |

### VWR Products:

Providing value at competitive prices.



**vwr.com** 1.800.932.5000

Order from Over 750,000 Products

### Sales & Inventory Locations

#### Pacific Northwest

Anchorage, AK  
Boise, ID  
Brisbane, CA  
Seattle, WA  
Tualatin, OR

#### Southwest

Albuquerque, NM  
Aurora, CO  
Phoenix, AZ  
San Diego, CA  
San Dimas, CA

#### Midwest

Batavia, IL  
Indianapolis, IN  
Minneapolis, MN

#### Gulf

Lake Charles, LA  
Sugarland, TX

#### Northeast

Franklin, MA  
Rochester, NY

#### Mid-Atlantic

Bridgeport, NJ  
Clarksburg, MD

#### Southeast

Morrisville, NC  
Parkersburg, WV  
Suwanee, GA

#### Canada

Mississauga, Ontario  
Ville Mont-Royal,  
Québec

### Call Direct for Specialized Service Locations

#### International

911 Commerce Ct.  
Buffalo Grove, IL 60089  
847-520-6170  
fax: 847-229-0788

#### Puerto Rico

Carr. #869, Km. 1.5 M-4  
Royal Industrial Park  
Catano, PR 00962  
800-932-5000  
787-275-4500  
fax: 787-788-4320

#### Global and

#### Corporate Accounts

1310 Goshen Pkwy.  
West Chester, PA 19380  
610-431-1700  
fax: 610-431-9174

#### Mexico

Super Av. Lomas Verdes  
No. 464 2o Piso Col.  
Los Alamos C.P. 53230  
Naucalpan de Juarez,  
Edo, de Mexico 2122-1600  
011-52-552-122-1630  
fax: 011-52-555-344-7532

#### Production Supplies and Services

975 Overland Ct.  
San Dimas, CA 91773  
877-VWR-PSCS  
(877-897-7727)  
fax: 888-890-9124

#### Furniture Group

3021 Gateway Drive  
Suite 280  
Irving, TX 75063  
888-624-2432  
fax: 972-753-1389

#### VWR Laboratory Distributors Services

911 Commerce Ct.  
Buffalo Grove, IL 60089  
800-873-8971  
fax: 847-229-0668

Prices are current at time of printing and are subject to change without notice. Note: Availability for certain products may be limited by federal, state, provincial, or local licensing requirements. All prices printed are in U.S. dollars.

©2005 VWR International, Inc. All rights reserved. Printed in U.S.A.

1/05